

### SAFETY DATA SHEET

Corrosion Block BULK Liquid (prepared to GHS Rev.5)

SECTION I - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: Corrosion Block® BULK Liquid

Product Code: 20001, 20002, 20004, 20020, 20032, 20114, 20205

Use of Substance/Preparation: Corrosion Block® is an industrial product designed to prevent and treat corrosion on non-ferrous and ferrous

metals, protect electronic equipment, and to lubricate/penetrate mechanized parts.

Manufacturer: Lear Chemical Research Corp.

PO Box 1040 Mississauga ON Canada 905 564-0018 905-564-7077 (fax)

**Telephone:** 905 564-0018 905-564-**Email:** info@learchem.com

www.learchem.com

Emergency Telephone: 1 800-256-2548 (day) 1 905-890-3466 (night)

Date of Preparation January 29, 2017

# **SECTION 2 – HAZARDS IDENTIFICATION**

Appearance: Blue green Physical State: Liquid Odor: Aromatic

Health: Acute Toxicity

Oral-Eye-Dermal: Category 5 Inhalation: Category 4

**Environmental:** Not Classified **OSHA Defined:** Not Classified

Labels:





Signal Word: WARNING

**H227: Combustible Liquid** 

P210: Keep Spray Away From Open Flame H305: May be harmful if swallowed and enters airways

P331+P314: Do Not Induce Vomiting, Get Medical Attention if Feeling Unwell

H320: May Cause eye irritation

P305+P331+P358: If Sprayed Into Eyes Rinse with Water, Remove Contacts if Present, Continue to Rinse with Water

**Precautionary Statements – Prevention:** Wash thoroughly after handling. Avoid splashing in eyes or breathing mist/spray. Do

not ingest.

**Precautionary Statements – Response** 

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Rinse

eyes with water

Precautionary Statements – Storage: Store in a well-ventilated place

Precautionary Statements - Disposal: None

Hazards not otherwise classified (HNOC)-Not Applicable



Hydrotreated neutral oil

### LEAR CHEMICAL RESEARCH CORPORATION

## SAFETY DATA SHEET

Corrosion Block BULK Liquid (prepared to GHS Rev.5)

# SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous substances present on their own: None

Substances present at a concentration below the minimum danger threshold:

NAME: CAS Solvent naphtha 64742

CAS EC % 64742-88-7 265-191-7 5-15 72623-85-9 276-736-3 70-100

**SECTION 4 - FIRST AID MEASURES** 

**Eye Contact:** Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

**Skin Contact** Remove excess by wiping, followed by washing with soap and water.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, (trained personnel should

give oxygen). If breathing stops apply CPR and call physician.

Ingestion: Rinse mouth immediately with water. Give 1/2 pint/200ml of milk to drink. Never give anything by mouth to an

unconscious person. **DO NOT INDUCE VOMITING**. If vomiting takes place naturally, lean victim forward to prevent aspiration into lungs. Aspiration into the lungs may cause chemical pneumonitis, which can be fatal. Physician's assessment is

mandatory. Note to Physician: Consult standard literature for Hydrocarbon poison.

## **SECTION 5 - FIRE AND EXPLOSION HAZARD DATA**

Suitable Extinguishing Media: CO², Dry Chemical, Foam, Water Spray Un-Suitable Extinguishing Media: Water Jet which might spread flames

Special Hazards From Burning: May produce normal products of combustion including: Carbon Oxides (CO- CO²) Nitrogen oxides (NO²-NO)

Sulfur oxides (S02-SO3).

Fire Fighting Procedures: Cool containers with water spray to prevent pressure build-up, auto-ignition or explosion. Self Contained Breathing

Apparatus (SCBA) may be required if containers rupture under thermal conditions.

**General Fire Hazards:** No unusual fire or explosion hazards

# **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Personal Precautions: Eliminate sources of ignition. Stop leak if you can do it without risk. Keep unnecessary personnel away from spill slip hazard.

Small Spill: Wipe up spills with absorbent cloth and clean surface with approved soap.

Large Spill: Stop or reduce flow with barricades – Absorb spills using dry clay, commercial sorbents. Collect residue into suitable

container for disposal. Material may be drained into floor drains equipped with Oil Interceptors. Never return

contaminated spilled liquid to original container. See Section 13 for Disposal Considerations.

Environmental Precautions: Prevent spill from entry into waterways, sewers, basements or confined areas.

### **SECTION 7 - HANDLING AND STORAGE**

## Conditions for safe storage, including any incompatibilities:

Storage: Avoid ignition sources. Do not store 70C° or 158F°. Keep containers tightly closed in a dry, cool and well-

ventilated place. Keep out of the reach of children.

Incompatible Products: None known



### SAFETY DATA SHEET

Corrosion Block BULK Liquid (prepared to GHS Rev.5)

## **SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION:**

**Appropriate Engineering Controls:** 

Ventilation: Provide sufficient General or Mechanical ventilation to maintain exposure below flammable limits.

**Individual Protection:** 

Respiratory Protection: None normally needed - Unless atomizing in enclosed space, then use approved NIOSH organic, mist/vapor respirator. If

exposure limits are exceeded or irritation, headache, nausea, or dizziness is experienced, ventilation and evacuation may be

required.

Protective Gloves: None normally required. Excessive contact may cause drying, chapping of skin, may cause redness of eyes and tearing.

Eye Protection: None normally required, unless operator is using high-pressure spray equipment or splashing is likely.

Other Protective Clothing: None normally required.

Work/Hygienic Practices: Wash hands and face with soap and water after use. Launder soiled clothing.

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

### **Physical and Chemical Properties**

Physical State: Liquid
Appearance: Blue Green
Odor: Fresh Scent
Odor Threshold: Not established

Property Values PH 7

Melting / freezing pointNo data availableBoiling point / boiling range>100C° / 212 F°Flash Point79.4 C /175 F. PMCCEvaporation RateSlower (Butyl acetate=1)Flammability (solid, gas)No data availableFlammability Limit in AirSolvent Component Only

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density

UEL: 6.0
LEL: 1.0
No data available
Heavier than air (Air=1)

Specific Gravity 0.90

Water Solubility Slight with agitation

Solubility in other solvents

Partition coefficient:

Soluble in Naphtha

n-octanol/water
No data available

Auto ignition temperature
Decomposition temperature
Kinematic viscosity
No data available
25 cSt @ 40 C°
No data available

VOC Content (%) 90gm/l

# **SECTION 10 - STABILITY AND REACTIVITY**

Stability: Stable

Materials to avoid: Avoid Oxidizing materials (Liquid or compressed oxygen, peroxides, chlorine), strong alkalis.

Decomposition Products: Thermal conditions produce normal products of combustion including: Carbon Oxides (CO-CO²), Nitrogen

oxides (N02-NO), Sulfur oxides (S02SO3)

Reactivity:

Polymerization: Will not occur



### SAFETY DATA SHEET

Corrosion Block BULK Liquid (prepared to GHS Rev.5)

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

Corrosion Block liquid has been tested (oral, eye, dermal) as a complete mixture and is considered "non-toxic" under normal use with an extremely low order of toxicity at or below a Category 5 rating.

**Primary Routes of entry:** 

Acute Oral: LD50 > 5000 mg/kg Acute Eye: LC50 > 5000 mg/kg

Acute Dermal: LD50 > 5000 mg/kg Acute Vapor LC50 > 5000 ppm -Rat-Aliphatic hydrocarbon

(estimated) LC50 > 5000 ppm -Rat-Petroleum distillate

Carcinogenicity: None carcinogenic according to EPA, NTP, IARC, OSHA, TLV, MAK, NIOSH or ACGIH definitions.

Sensitization: Non-sensitizer

Mutagenic effects:NoTetra genic:NoReproductive:NoDevelopmental:No

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation: May cause headache, nausea, or dizziness

Skin / Eyes: May cause drying, chapping of skin and may cause redness of eyes

Ingestion: May be harmful or fatal if swallowed

Sensitization No information available.

Mutagenic Effects No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Chronic Toxicity**No known effect based on information supplied. **Target Organ Effects**Respiratory system. Central Vascular System (CVS).

Aspiration Hazard No information available.

## **SECTION 12- ECOLOGICAL INFORMATION**

**Eco toxicity** Environmental impact of this product has not been fully investigated.

Persistence and DegradabilityNo information available.BioaccumulationNo information available.Other adverse effectsNo information available.

# **SECTION 13 - DISPOSAL CONSIDERATIONS**

### Waste treatment methods

**Disposal methods:** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261).

Spilled liquid should be treated as contaminated oil and disposed of according to the appropriate state,

regional, or local regulations.

Used Packaging: Empty HDPE/LDPE containers can be recycled

California Hazardous Waste Codes NA



### SAFETY DATA SHEET

Corrosion Block BULK Liquid (prepared to GHS Rev.5)

## **SECTION 14 - TRANSPORT INFORMATION**

Land transport ADR/RID (cross-border)

ADR/RIC-GGVS/E
Maritime transport IMDG:
Marine pollutant:
Not Regulated
Not expected to be.

AIR transport ICAO-TI and IATA-DGR: Non-Hazardous, Non-Regulated

## **SECTION 15 - REGULATORY INFORMATION**

This preparation was classified in compliance with GHS Directives and is not known to be classified on any EC lists or other source literature.

WHMIS Not Controlled
U.S. Federal Regulations: Not Regulated
TSCA Inventory (USA) Reported/Included
DSL (Canada) Reported /Included

SARA 302/355 Extreme Hazard: NO CERCLA: NO NO SARA 313 Toxic Chemical: SARA 311/312 Hazardous: NO No to All Prop 65 ELINCS (Europe) No ENCS (Japan) Yes AICS (Australia) Yes

## **SECTION 16 – OTHER INFORMATION**



NFPA STD.704 Health -1 Flammability-2 Reactivity-0

NFPA STD.321: Combustible Liquid, Class III 3A



HMIS Health -1 Flammability-2 Reactivity-0

Lear Chemical believes all the information provided is true and accurate. Lear Chemical and its affiliates assume no responsibility for injury to anyone caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Lear Chemical Research Corp. and affiliates assume no responsibility for injury to anyone caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendor and third persons assume the risk in their use of the material.

Date Issued: January 2017 Prepared by: Lear Chemical Research Corp.